

AUTHOR INDEX

- AHMAD, R., *see* MANNHALTER, J.W.
 AISO, S., *see* HIBI, T.
 AKIYOSHI, T., *see* MIYAZAKI, S.
 ALOMARI, W.R.S., ARCHER, J.R., BROCKLEHURST, R. & CURREY, H.L.F. Binding of immunoglobulins and immune complexes to cartilage derived extracts, 716
 ALTMAN, Y., *see* SCHLESINGER, M.
 AMOROSO, A., *see* CRIVELLI, O.
 ANDRE, C., FARCET, J.P., OUHRIRI, N., GOURDIN, M.-F., BOUGUET, J. & REYES, F. Phenotype study with monoclonal antibodies of T lymphocyte colonies in normal individuals and in patients with chronic OKT8⁺ lymphocytic leukaemia, 515
 ANSAR AHMED, S., YOUNG, P.R. & PENHALE, W.J. The effects of female sex steroids on the development of autoimmune thyroiditis in thymectomized and irradiated rats, 351
 ANSELL, B.M., *see* BACON, T.H.
 ARCHER, J.R., *see* ALOMARI, W.R.S.
 ARINAGA, S., *see* MIYAZAKI, S.
 ASAKURA, H., *see* HIBI, T.
 ASHMAN, L.K., *see* GADD, S.J.
 BAATRUP, G., PETERSEN, I., JENSENIUS, J.C. & SVEHAG, S.-E. Reduced complement-mediated immune complex solubilizing capacity and the presence of incompletely solubilized immune complexes in SLE sera, 439
 BACH, J.F., *see* ISRAEL-BIET, D.
 BACH, M.A., *see* HOFFENBACH, A.
 BACH, M.-A., *see* ISRAEL-BIET, D.
 BACON, T.H., DE VERE-TYNDALL, A., TYRRELL, D.A.J., DENMAN, A.M. & ANSELL, B.M. Interferon system in patients with systemic juvenile chronic arthritis: *in vivo* and *in vitro* studies, 23
 BAKACS, T., *see* KIMBER, I.
 BANHAM, S.W., *see* MCSHARRY, C.
 BARNETSON, R.St.C., *see* BJUNE, G.
 BASHEY, A., *see* KERR, M.A.
 BATAILLE, R., *see* VINCENT, C.
 BAUR, X., DEWAIIR, M., HAEGELE, K., PRELICZ, H., SCHOLL, A. & TICHY, H. Common antigenic determinants of haemoglobin as a basis of immunological cross-reactivity between chironomid species (Diptera, Chironomidae): studies with human and animal sera, 599
 BENNER, R., *see* VAN DEN AKKER, Th.
 BERG, P., *see* SCHULTHEIß, H.-P.
 BERGERS, M., *see* DE MULDER, P.H.M.
 BERZINS, K., WAHLGREN, M. & PERLMANN, P. Studies on the specificity of anti-erythrocyte antibodies in the serum of patients with malaria, 313
 BERZINS, K., *see* WAHLGREN, M.
 BEVERLEY, P.C.L., *see* ROWE, D.
 BIBI, C., *see* SCHLESINGER, M.
 BJÖRKMAN, A., *see* WAHLGREN, M.
 BJUNE, G., CLOSS, O. & BARNETSON, R.St.C. Early events in the host-parasite relationship and immune response in clinical leprosy: its possible importance for leprosy control, 289
 BLACKLOCK, H., *see* FAVROT, M.
 BLASCO, R., *see* EGIDO, J.
 BLAZAR, B.A., FITZGERALD, J., SUTTON, L. & STROME, M. Increased sensitivity to natural killing in Raji cells is due to effector recognition of molecules appearing on target cell membranes following EBV cycle induction, 31
 BOFILL, M., *see* FAVROT, M.
 BOUGUET, J., *see* ANDRE, C.
 BOWMAN, C., *see* PUSEY, C.D.
 BOYD, G., *see* MCSHARRY, C.
 BRANDELY, M., HURTREL, B. & LAGRANGE, P.H. Comparison between immunopotency tests and specific active or passive acquired resistance against *Mycobacterium tuberculosis* in mice induced with three different preparations of BCG Pasteur vaccine, 143
 BRICKELL, P.M., RICHARDSON, N.E., MCCONNELL, I. & FEINSTEIN, A. Distinct populations of class II molecules identified by monoclonal antibodies, 117
 BRIL, H., *see* VAN DEN AKKER, Th.
 BRITVAN, L., *see* TARGAN, S.
 BROCKLEHURST, R., *see* ALOMARI, W.R.S.
 BROSTOFF, J., *see* HALL, T.J.
 BROWN, W.R., *see* NAGURA, H.
 BRUETON, M.J., *see* LYSKOM, N.
 BRUMMER, E. & STEVENS, D.A. Enhancing effect of murine polymorphonuclear neutrophils (PMN) on the multiplication of *Blastomyces dermatitidis* *in vitro* and *in vivo*, 587
 CALDER, L.R., *see* WILLCOX, H.N.A.
 CARROLL, M., LUKACS, K., HODSON, M. & KAY, A.B. Defective chemotactic factor-induced monocyte complement receptor enhancement in lung cancer, 785
 CATS, A., *see* DAHA, M.R.
 CATS, A., *see* KAUFFMANN, R.H.
 CATS, A., *see* VAN DER WEIJ, J.P.
 CHAPMAN, M.D., *see* SNARY, D.
 CHARREIRE, J., *see* FOURNIER, C.
 CHEN, H., *see* FOURNIER, C.
 CHEN, S.-H., *see* HALL, T.J.
 CHEN, Y.-F., *see* RENNARD, S.I.
 CHIABERGE, E., *see* CRIVELLI, O.
 CLAËSSON, M.H. & RÖPKE, C. Colony formation by subpopulations of T lymphocytes. IV. Inhibitory effect of hydrocortisone on human and murine T cell subsets, 554
 CLOSS, O., *see* BJUNE, G.
 CRIVELLI, O., LAVARINI, C., CHIABERGE, E., AMOROSO, A., FARCI, P., NEGRO, F. & RIZZETTO, M. Microsomal autoantibodies in chronic infection with the HBsAg associated delta (δ) agent, 232
 CRYSTAL, R.G., *see* RENNARD, S.I.
 CURRAN, J.J., *see* TARTOF, D.
 CURREY, H.L.F., *see* ALOMARI, W.R.S.
 CUZNER, M.L., *see* SALIER, J.-P.
 CZARNETZKI, B. Increased monocyte chemotaxis towards leukotriene B₄ and platelet activating factor in patients with inflammatory dermatoses, 486

- DAHA, M.R., HAZEVOET, H.M., HERMANS, J., VAN ES, L.A. & CATS, A. Relative importance of C4 binding protein in the modulation of the classical pathway C3 convertase in patients with systemic lupus erythematosus, 247
- DAMERAU, B., see LAPPIN, D.
- DANIS, V.A. & HEATLEY, R.V. Pokeweed mitogen stimulated immunoglobulin production by peripheral blood lymphocytes *in vitro*: evidence for disordered immunoregulation in patients with ulcerative colitis and Crohn's disease, 739
- DARDENNE, M., see ISRAEL-BIET, D.
- DASH, A., see PRESSEY, A.
- DAVEY, F.R., KUREC, A.S. & LAMBERSON, H.V. Mouse rosette positive B cells fail to synthesize immunoglobulin following incubation with pokeweed mitogen, 771
- DE AIZPURUA, H.J., UNGAR, B. & TOH, B.H. Flow microfluorimetric analysis of autoantibody reactions with parietal cell surface membranes in pernicious anaemia, 405
- DE GRAEFF, P.A., THE, T.H., VAN MUNSTER, P.J.J., OUT, T.A., VOSSEN, J.M. & ZEGERS, B.J.M. The primary immune response in patients with selective IgA deficiency, 778
- DE LEU, L., see POPPEMA, S.
- DE MULDER, P.H.M., VAN RENNES, H., MIER, P.D., BERGERS, M., DE PAUW, B.E. & HAANEN, C. Characterization of monocyte maturation in adherent and suspension cultures and its application to study monocyte differentiation in Hodgkin's disease, 681
- DENMAN, A.M., see BACON, T.H.
- DE PAUW, B.E., see DE MULDER, P.H.M.
- DE ROOIJ, D.J., see HABETS, W.J.
- DE ROOY-DIJK, H.H., see KAUFFMANN, R.H.
- DE SOUZA, J.B. & PLAYFAIR, J.H.L. Anti-lymphocyte antibodies in lethal mouse malaria. II. Induction of an autoantibody specific suppressor T cell by non-lethal *P. yoelii*, 110
- DE VERE-TYNDALL, A., see BACON, T.H.
- DE VRIES, E., see VAN DER WEIJ, J.P.
- DEWAI, M., see BAUR, X.
- DEWAR, A.E., see KRAJEWSKI, A.S.
- DE WECK, A.L., see WANG, Y.
- DICKINSON, A.M., GEORGE, S. & PROCTOR, S.J. T cell subpopulations in CLL: methods of T cell enrichment artificially alter proportions of OKT4 and OKT8 positive cells, 525
- DODD, J., see SNARY, D.
- DU CLOS, T.W., see NAKAYAMA, S.
- DUNCAN, M.H., see WILLIAMS, R.C.
- EADY, R.P., see PRITCHARD, D.I.
- EADY, R.P., see RICHARDS, I.M.
- EGIDO, J., BLASCO, R., SANCHO, J., LOZANO, L. & GUTIERREZ-MILLET, V. Immunological studies in a familial IgA nephropathy, 532
- EGIDO, J., see SANCHO, J.
- EIBL, M.M., see MANNHALTER, J.W.
- FALCK, H.M. & WESTERMARK, P. Protein AA in primary and myeloma associated amyloidosis, 259
- FALCONER, J.S., see KERR, M.A.
- FARCET, J.P., see ANDRE, C.
- FARCI, P., see CRIVELLI, O.
- FAVROT, M., JANOSSY, G., TIDMAN, N., BLACKLOCK, H., LOPEZ, E., BOFILL, M., LAMPERT, I., MORGENTHAU, G., POWLES, R., PRENTICE, H.G. & HOFFBRAND, A.V. T cell regeneration after allogeneic bone marrow transplantation, 59
- FEINSTEIN, A., see BRICKELL, P.M.
- FENTON, M.R., see WOLFE, L.
- FERRANTE, A. & ROWAN-KELLY, B. Activation of the alternative pathway of complement by *Acanthamoeba culbertsoni*, 477
- FIKRIG, S.M., see GUPTA, S.
- FIRKIN, B.G., see PFUELLER, S.L.
- FISCHETTI, V.A., see OHKUNI, H.
- FITZGERALD, J., see BLAZAR, B.A.
- FLINT, J.E., see SNARY, D.
- FOURNIER, C., CHEN, H., LEGER, A. & CHARREIRE, J. Immunological studies of autoimmune thyroid disorders: abnormalities in the inducer T cell subset and proliferative responses to autologous and allogeneic stimulation, 539
- FRANKLIN, R.M., see VAINIO, E.
- FRAZER, I.H., KRONBORG, I.J. & MACKAY, I.R. Antibodies to liver membrane antigens in chronic active hepatitis (CAH). II. Specificity for autoimmune CAH, 213
- FREEMAN, R.R. & HOLDER, A.A. Characteristics of the protective response of BALB/c mice immunized with a purified *Plasmodium yoelii* schizont antigen, 609
- FRIEDMAN, J., see OHKUNI, H.
- FUNDERUD, S., see GODAL, T.
- GADD, S.J. & ASHMAN, L.K. Binding of mouse monoclonal antibodies to human leukaemic cells via the Fc receptor: a possible source of 'false positive' reactions in specificity screening, 811
- GADEK, J.E., see RENNARD, S.I.
- GEORGE, S., see DICKINSON, A.M.
- GERAINT JAMES, D., see MISHRA, B.B.
- GERGELY, P., see PERL, A.
- GEWURZ, A.T., IMHERR, S., STRAUSS, S., GEWURZ, H. & MOLD, C. C3 nephritic factor and hypocomplementaemia in a clinically healthy individual, 253
- GEWURZ, H., see GEWURZ, A.T.
- GEWURZ, H., see NAKAYAMA, S.
- GILLEN, A.P., see VAN DEN AKKER, TH.
- GIORDANO, M., see ISTURIZ, M.A.
- GIRDWOOD, R.W.A., see SMITH, H.V.
- GLYNN, P., see SALIER, J.-P.
- GODAL, T., RUUD, E., HEIKKILA, R., FUNDERUD, S., MICHAELSEN, T., JEFFERIS, R., LING, N.R. & HILDROM, K. Triggering of monoclonal human lymphoma B cells with antibodies to IgM heavy chains: differences of response obtained with monoclonal as compared to polyclonal antibodies, 756
- GOMARD, E., see SITBON, M.
- GONZALEZ-CABELLO, R., see PERL, A.
- GOUGEROT-POCIDALO, M.-A., see LEVACHER-PLACE, M.
- GOURDIN, M.-F., see ANDRE, C.
- GOUST, J.-M., see SALIER, J.-P.
- GREAVES, M.F., see WILLIAMS, R.C.
- GUPTA, R.C., see IKER, K.

- GUPTA, S., FIKRIG, S.M. & NOVAL, M.S. Immunological studies in patients with isolated growth hormone deficiency, 87
- GUTIERREZ-MILLET, V., see EGIDO, J.
- HABETS, W.J., DE ROOIJ, D.J., SALDEN, M.H., VERHAGEN, A.P., VAN EEKEL, C.A., VAN DE PUTTE, L.B. & VAN VENROOIJ, W.J. Antibodies against distinct nuclear matrix proteins are characteristic for mixed connective tissue disease, 265
- HAEGELE, K., see BAUR, X.
- HALL, T.J., CHEN, S.-H., BROSTOFF, J. & LYDYARD, P.M. Modulation of human natural killer cell activity by pharmacological modulators, 493
- HANDZEL, Z.T., see SCHLESINGER, M.
- HANNESSTAD, K., see HORNELAND, M.
- HANNOUN, C., see SITBON, M.
- HARPER, S.T., see PRITCHARD, D.I.
- HARVEY, B.A.M., see LEVINSKY, R.J.
- HASEGAWA, H., see NAGURA, H.
- HASHIMOTO, N., see TODA, G.
- HASUMURA, Y., see IZUMI, N.
- HATTORI, T., see TOGE, T.
- HAVAS, H.F., see WOLFE, L.
- HAY, F.C., YOUNG, A., JONES, M.G., NINEHAM, L.J., MALE, D.K. & ROITT, I.M. Anti-globulins and circulating complexes in early rheumatoid arthritis, 723
- HAZEVOET, H.M., see DAHA, M.R.
- HEATLEY, R.V., see DANIS, V.A.
- HEIKKILA, R., see GODAL, T.
- HERMANS, J., see DAHA, M.R.
- HERNANDO, L., see SANCHEZ, J.
- HIBI, T., AISO, S., ISHIKAWA, M., WATANABE, M., YOSHIDA, T., KOBAYASHI, K., ASAKURA, H., TSURU, S. & TSUCHIYA, M. Circulating antibodies to the surface antigens on colon epithelial cells in ulcerative colitis, 163
- HILDRUM, K., see GODAL, T.
- HOFFBRAND, A.V., see FAVROT, M.
- HODSON, M., see CARROLL, M.
- HOFFENBACH, A., LAGRANGE, P.H. & BACH, M.A. Surface Lyt phenotype of suppressor cells in C57BL/6 mice infected with *Mycobacterium lepraemurium*, 151
- HOLDER, A.A., see FREEMAN, R.R.
- HOLZER, T., see NAKAYAMA, S.
- HORNELAND, M., REKVIG, O.P., JØRGENSEN, L. & HANNESSTAD, K. Cultured human endothelial cells display an antigen that is recognized by certain human anti-chromatin autoantibodies, 373
- HURTREL, B., see BRANDELY, M.
- HUSBY, G., see ØSTENSEN, M.
- IKEDA, Y., see TODA, G.
- ILFELD, D., see SCHLESINGER, M.
- IMHERR, S., see GEWURZ, A.T.
- INOUE, T., see KURAMOTO, T.
- ISENBERG, D.A., see ROWE, D.
- ISHIDA, M., see KURAMOTO, T.
- ISHIKAWA, M., see HIBI, T.
- ISRAEL-BIET, D., NOEL, L.-H., BACH, M.-A., DARDENNE, M. & BACH, J.F. Marked reduction of DNA antibody production and glomerulopathy in thymulin (FTS-Zn) or cyclosporin A treated (NZB x NZW)F₁ mice, 359
- ISTURIZ, M.A., GIORDANO, M. & SEREBRINSKY, GRACIELA P. Effect of rheumatoid factors and normal human sera on immune complex-FcγR interaction, 225
- ITAGAKI, E., see TOGE, T.
- IVANYI, J., KRAMBOVITIS, E. & KEEN, M. Evaluation of a monoclonal antibody (TB72) based serological test for tuberculosis, 337
- IZUMI, N., HASUMURA, Y. & TAKEUCHI, J. Lymphocyte cytotoxicity for autologous human hepatocytes in alcoholic liver disease, 219
- JACKSON, D.M. see PRITCHARD, D.I.
- JACKSON, D.M., see RICHARDS, I.M.
- JANOSY, G., see FAVROT, M.
- JANOSY, G., see MISHRA, B.B.
- JEFFERIS, R., see GODAL, T.
- JENSENIUS, J.C., see BAATRUP, G.
- JESSELL, T.M., see SNARY, D.
- JONCOURT, F., see WANG, Y.
- JONES, M.G., see HAY, F.C.
- JØRGENSEN, L., see HORNELAND, M.
- KAMATA, K., OKUBO, M. & SADA, M. Immunosuppressive factors in uraemic sera are composed of both dialysable and non-dialysable components, 277
- KAUFFMANN, R.H., DE ROOY-DUK, H.H., KLEIN, F., LAFFEBER, G.J.M., CATS, A. & VAN ES, L.A. The significance of immunofluorescent immunoglobulin inclusions in polymorphonuclear leucocytes for the detection of circulating immune complexes, 203
- KAY, A.B., see CARROLL, M.
- KEEN, M., see IVANYI, J.
- KENDAL, R., see TARGAN, S.
- KERLERO DE ROSBO, N., see PFUELLER, S.L.
- KERR, M.A., FALCONER, J.S., BASHEY, A. & SWANSON BECK, J. The effect of C3 levels on yeast opsonization by normal and pathological sera: identification of a complement independent opsonin, 793
- KIMBER, I., BAKACS, T. & MOORE, M. Regulation of natural and antibody-dependent cellular cytotoxicity by staphylococcal enterotoxin A, 39
- KLEIN, F., see KAUFFMANN, R.H.
- KLINGENBERG, M., see SCHULTHEISS, H.-P.
- KOBA, F., see MIYAZAKI, S.
- KOBAYASHI, K., see HIBI, T.
- KOHNO, H., see TOGE, T.
- KRAJEWSKI, A.S., DEWAR, A.E., SEIDELIN, P.H. & MURRAY, R. Colony formation and interleukin 2 production by leukaemic human T cells, 103
- KRAMBOVITIS, E., see IVANYI, J.
- KRAUS, L., see LEVACHER-PLACE, M.
- KRISTENSEN, F., see WANG, Y.
- KRONBORG, I.J., see FRAZER, I.H.
- KUPERMAN, O., see SCHLESINGER, M.
- KURAMOTO, T., OHNOKI, T., INOUE, T. & ISHIDA, M. Autologous rosette forming cells in patients with renal diseases, 765

- KUREC, A.S., *see* DAVEY, F.R.
 KUSEL, J.R., *see* SMITH, H.V.
- LAFFER, G.J.M., *see* KAUFFMANN, R.H.
 LAGRANGE, P.H., *see* BRANDELY, M.
 LAGRANGE, P.H., *see* HOFFENBACH, A.
 LAMBERSON, H.V., *see* DAVEY, F.R.
 LAMPERT, I., *see* FAVROT, M.
 LAPPIN, D., DAMERAU, B. & WHALEY, K. Anaphylatoxins inhibit C2 production, 455
 LAVARINI, C., *see* CRIVELLI, O.
 LAYTON, G.T. & SMITHYMAN, A.M. The effects of oral and combined parenteral/oral immunization against an experimental *Escherichia coli* urinary tract infection in mice, 305
 LEGER, A., *see* FOURNIER, C.
 LENOIR, G.M., *see* VAINIO, E.
 LEVACHER-PLACE, M., GOUGEROT-POCIDALO, M.-A., ROUVIEX, B., KRAUS, L. & POCIDALO, J.J. Characterization of immunological depression in mice exposed to normobaric oxygen, 580
 LEVIN, S., *see* SCHLESINGER, M.
 LEVINSKY, R.J., HARVEY, B.A.M., RODECK, C.H. & SOOTHILL, J.F. Phorbol myristate stimulated NBT test: a simple method suitable for antenatal diagnosis of chronic granulomatous disease, 595
 LEVITT, D., *see* TARTOF, D.
 LEVY, J.-P., *see* SITBON, M.
 LING, N.R., *see* GODAL, T.
 LOCKWOOD, C.M., *see* PRESSEY, A.
 LOCKWOOD, C.M., *see* PUSEY, C.D.
 LOKEN, M.R. *see* TARTOF, D.
 LOPEZ, E., *see* FAVROT, M.
 LOZANO, L., *see* EGIDO, J.
 LUKACS, K., *see* CARROLL, M.
 LYDYARD, P.M., *see* HALL, T.J.
 LYNCH, P.P., *see* MCSHARRY, C.
 LYSOM, N. & BRUETON, M.J. The development of intraepithelial and Peyer's patch lymphocyte sub-types in the small intestine of newborn rats, 158
- MCCONNELL, I., *see* BRICKELL, P.M.
 MACKAY, I.R., *see* FRAZER, I.H.
 MACKAY, I.R., *see* PFUELLER, S.L.
 MCSHARRY, C., BANHAM, S.W., LYNCH, P.P. & BOYD, G. Skin testing and extrinsic allergic alveolitis, 282
 MAINI, R.N., *see* VENABLES, P.J.W.
 MALE, D.K., *see* HAY, F.C.
 MANNHALTER, J.W., ZLABINGER, G.J., AHMAD, R. & EIBL, M.M. Human T cell proliferation in response to *E. coli* presented by autologous macrophages is antigen specific, 95
 MICHAELSEN, T., *see* GODAL, T.
 MIER, P.D., *see* DE MULDER, P.H.M.
 MILES, M.A., *see* SNARY, D.
 MISHRA, B.B., POULTER, L.W., JANOSSY, G. & GER-AINT JAMES, D. The distribution of lymphoid and macrophage like cell subsets of sarcoid and Kviem granulomata: possible mechanism of negative PPD reaction in sarcoidosis, 705
 MITCHELL, W.S., *see* NAAMA, J.K.
 MIYAZAKI, S., AKIYOSHI, T., ARINAGA, S., KOBAYASHI, WADA, T. & TSUJI, H. Depression of the generation of cell-mediated cytotoxicity by suppressor cells after surgery, 573
 MOLD, C., *see* GEWURZ, A.T.
 MOLD, C., *see* NAKAYAMA, S.
 MOORE, M., *see* KIMBER, I.
 MOORE, M.P., SARGENT, I.L., TING, A. & REDMAN, C.W.G. Maternal cell-mediated immunity in pregnancy—lymphocyte responses of mothers and their non-pregnant HLA identical sisters to paternal HLA, 91
 MORGENSTEIN, G., *see* FAVROT, M.
 MORLAND, B., *see* OSTENSEN, M.
 MURRAY, R., *see* KRAJEWSKI, A.S.
- NAAMA, J.K., MITCHELL, W.S. & WHALEY, K. Inhibition of complement-mediated solubilization of antigen-antibody complexes by sera from patients with rheumatoid arthritis, 429
 NAGURA, H., TSUTSUMI, Y., HASEGAWA, H., WATANABE, K., NAKANE, P.K. & BROWN, W.R. IgA plasma cells in biliary mucosa: a likely source of locally synthesized IgA in human hepatic bile, 671
 NAKANE, P.K., *see* NAGURA, H.
 NAKAYAMA, S., GEWURZ, H., HOLZER, T., DU CLOS, T.W. & MOLD, C. The role of the spleen in the protective effect of C-reactive protein in *Streptococcus pneumoniae* infection, 319
 NEGRO, F., *see* CRIVELLI, O.
 NETZER, L., *see* SCHLESINGER, M.
 NEWSOM-DAVIS, J., *see* WILLCOX, H.N.A.
 NINEHAM, L.J., *see* HAY, F.C.
 NOEL, L.-H., *see* ISRAEL-BIET, D.
 NOVAL, M.S., *see* GUPTA, S.
- OHKUNI, H., FRIEDMAN, J., VAN DE RIJN, I., FISCHETTI, V.A., POON-KING, T. & ZABRISKIE, J.B. Immunological studies of post-streptococcal sequelae: serological studies with an extracellular protein associated with nephritogenic streptococci, 185
 OHNUKI, T., *see* KURAMACHI, T.
 OKA, H., *see* TODA, G.
 OKAMOTO, T., TAMURA, T. & TAKANO, T. Evidence in patients with systemic lupus erythematosus with systemic lupus erythematosus of the presence of antibodies against RNA-dependent DNA polymerase of baboon endogenous virus, 747
 OKUBO, M., *see* KAMATA, K.
 ORR, T.S.C., *see* PRITCHARD, D.I.
 ORR, T.S.C., *see* RICHARDS, I.M.
 OSTENSEN, M., MORLAND, B., HUSBY, G. & REKVIG, O.P. A serum antibody in patients with rheumatoid arthritis stimulates cathepsin B activity in peritoneal mouse macrophages, 397
 OUHRIRI, N., *see* ANDRE, C.
 OUT, T.A., *see* DE GRAEFF, P.A.
- PENHALE, W.J., *see* ANSAR AHMED, S.
 PERL, A., GONZALEZ-CABELLO, R. & GERGELY, P. Stimulation of lectin-dependent cell-mediated cytotoxicity against adherent HEP-2 cells by carrageenan, 567
 PERLMANN, P., *see* BERZINS, K.
 PERLMANN, P., *see* WAHLGREN, M.
 PERSSON, M., *see* WAHLGREN, M.
 PETERS, D.K., *see* PRESSEY, A.

- PETERS, D.K., *see* PUSEY, C.D.
 PETERS, D.K., *see* SCHIFFERLI, J.A.
 PETERS, D.K., *see* VAN ZYL SMIT, R.
 PETERSEN, I., *see* BAATRAP, G.
 PFUELLER, S.L., FIRKIN, B.G., KERLERO DE ROSBO, N.,
 RIGLAR, A. & MACKAY, I.R. Association of
 increased immune complexes, platelet IgG and
 serum IgG in chronic active hepatitis, 655
 PLAYFAIR, J.H.L., *see* DE SOUZA, J.B.
 POCIDALO, J.-J., *see* LEVACHER-PLACE, M.
 POON-KING, T., *see* OHKUNI, H.
 POPPEMA, S., VISSER, L. & DE LEIJ, L. Reactivity of
 presumed anti-natural killer cell antibody Leu 7
 with intrafollicular T lymphocytes, 834
 POULTER, L.W., *see* MISHRA, B.B.
 POWLES, R., *see* FAVROT, M.
 PRELICZ, H., *see* BAUR, X.
 PRENTICE, H.G., *see* FAVROT, M.
 PRESSEY, A., PUSEY, C.D., DASH, A., PETERS, D.K. &
 LOCKWOOD, C.M. Production of a monoclonal
 antibody to autoantigenic components of human
 glomerular basement membrane, 178
 PRITCHARD, D.I., EADY, R.P., HARPER, S.T., JACK-
 SON, D.M., ORR, T.S.C., RICHARDS, I.M., TRIGG,
 S. & WELLS, E. Laboratory infection of primates
 with *Ascaris suum* to provide a model of allergic
 bronchoconstriction, 469
 PRITCHARD, D.I. *see* RICHARDS, I.M.
 PROCTOR, S.J., *see* DICKINSON, A.M.
 PURTILO, D.J., *see* WITKIN, S.S.
 PUSEY, C.D., BOWMAN, C., PETERS, D.K. & LOCK-
 WOOD, C.M. Effects of cyclophosphamide on
 autoantibody synthesis in the Brown Norway
 rat, 697
 PUSEY, C.D., *see* PRESSEY, A.
 QUEIROS, M.V. & ROCHA, B. T cell subsets in patients
 with rheumatoid arthritis: reduction of cells with
 Leu 2A phenotype in patients with serum IgG
 immunocomplexes, 509
 RADL, J., *see* VAN DEN AKKER, TH.
 REA, T. Suppressor cell activity and phenotypes in the
 blood or tissues of patients with leprosy, 298
 REDMAN, C.W.G., *see* MOORE, M.P.
 REES, A.J., *see* VAN ZYL SMIT, R.
 REKVIG, O.P., *see* HORNELAND, M.
 REKVIG, O.P., *see* OSTENSEN, M.
 RENNARD, S.I., CHEN, Y.-F., ROBBINS, R.A., GADEK,
 J.E. & CRYSTAL, R.G. Fibronectin mediates cell
 attachment to C1q: a mechanism for the localiza-
 tion of fibrosis in inflammatory disease, 239
 REVILLARD, J.-P., *see* VINCENT, C.
 REYES, F., *see* ANDRE, C.
 RICHARDS, I.M., EADY, R.P., JACKSON, D.M., ORR,
 T.S.C., PRITCHARD, D.I., VENDY, K. & WELLS, E.
Ascaris-induced bronchoconstriction in primates
 experimentally infected with *Ascaris suum* ova,
 461
 RICHARDS, I.M., *see* PRITCHARD, D.I.
 RICHARDS, J.M., *see* WITKIN, S.S.
 RICHARDSON, N.E., *see* BRICKELL, P.M.
 RIGLAR, A., *see* PFUELLER, S.L.
 RIVERA, F., *see* SANCHEZ, J.
 RIZZETTO, M., *see* CRIVELLI, O.
 ROBBINS, R.A., *see* RENNARD, S.I.
 ROCHA, B., *see* QUEIROS, M.V.
 RODECK, C.H., *see* LEVINSKY, R.J.
 ROITT, I.M., *see* HAY, F.C.
 RÖPKE, C., *see* CLAESSENS, M.H.
 ROSSITER, P.B. Proliferation of T lymphocytes in
 rabbits fatally infected with the Herpes virus of
 malignant catarrhal fever, 547
 ROUVIEX, B., *see* LEVACHER-PLACE, M.
 ROWAN-KELLY, B., *see* FERRANTE, A.
 ROWE, D., ISENBERG, D.A. & BEVERLEY, P.C.L.
 Monoclonal antibodies to human leucocyte
 antigens in polymyositis and muscular dys-
 trophy, 327
 RUUD, E., *see* GODAL, T.
 SADA, M., *see* KAMATA, K.
 SALDEN, M.H., *see* HABETS, W.J.
 SALIER, J.-P., GLYNN, P., GOUST, J.-M. & CUZNER,
 M.L. Distribution of nominal and latent IgG
 (Gm) allotypes in plaques of multiple sclerosis
 brain, 634
 SANCHEZ, J., EGIDO, J., RIVERA, F. & HERNANDO, L.
 Immune complexes in IgA nephropathy: pres-
 ence of antibodies against diet antigens and
 delayed clearance of specific polymeric IgA im-
 mune complexes, 194
 SANCHEZ, J., *see* EGIDO, J.
 SARGENT, I.L., *see* MOORE, M.P.
 SCHIFFERLI, J.A. & PETERS, D.K. Immune adherence
 and staphylococcus protein A binding of soluble
 immune complexes produced by complement
 activation, 827
 SCHLESINGER, M., ILFELD, D., HANDZEL, Z.T., ALT-
 MAN, Y., KUPERMAN, O., LEVIN, S., BIBI, C.,
 NETZER, L. & TRAININ, N. Effect of colchicine on
 immunoregulatory abnormalities in familial
 Mediterranean fever, 73
 SCHOLL, A., *see* BAUR, X.
 SCHULTHEISS, H.-P., BERG, P. & KLINGENBERG, M. The
 mitochondrial adenine nucleotide translocator is
 an antigen in primary biliary cirrhosis, 648
 SCOTT, M.T., *see* SNARY, D.
 SEIDELIN, P.H., *see* KRAJEWSKI, A.S.
 SEREBRINSKY, G.P., *see* ISTURIZ, M.A.
 SHERWOOD, T., *see* VIRELLA, G.
 SHULER, C.W., *see* VIRELLA, G.
 SITBON, M., GOMARD, E., HANNOUN, C. & LEVY, J.-P.
 Anti-influenza human T killer cells present an
 intertypic activity anti-A and -B type viruses in a
 secondary reaction *in vitro*, 49
 SLAUSON, D.O., *see* WANG, Y.
 SMITH, H.V., KUSEL, J.R. & GIRDWOOD, R.W.A. The
 production of human A and B blood group like
 substances *in vitro* maintained second stage
Toxocara canis larvae; their presence on the outer
 larval surfaces and in their excretions/secretions,
 625
 SMITH, P.R., *see* VENABLES, P.J.W.
 SMITHYMAN, A.M., *see* LAYTON, G.T.
 SNARY, D., FLINT, J.E., WOOD, J.N., SCOTT, M.T.,
 CHAPMAN, M.D., DODD, J., JESSELL, T.M. &
 MILES, M.A. A monoclonal antibody with speci-
 ficity for *Trypanosoma cruzi*, central and periph-
 eral neurones and glia, 617
 SOLL, A., *see* TARGAN, S.
 SONNABEND, J., *see* WITKIN, S.S.

- SOOTHILL, J.F., see LEVINSKY, R.J.
 STEVENS, D.A., see BRUMMER, E.
 STINSON, E.R., see WILLIAMS, R.C.
 STRAUSS, S. see GEWURZ, A.T.
 STROME, M., see BLAZAR, B.A.
 SUTTON, L. see BLAZAR, B.A.
 SVEHAG, S.-E., see BAATRUP, G.
 SWANSON, BECK, J., see KERR, M.A.
- TAKANO, T., see OKAMOTO, T.
 TAKEUCHI, J., see IZUMI, N.
 TAMURA, T., see OKAMOTO, T.
 TAN, E.M., see IKEBE, K.
 TANADA, M., see TOGE, T.
 TARGAN, S., BRITVAN, L., KENDAL, R., VIMADALAL, S. & SOLL, A. Isolation of spontaneous and interferon inducible natural killer like cells from human colonic mucosa: lysis of lymphoid and autologous epithelial target cells, 14
 TARTOF, D., CURRAN, J.J., LEVITT, D. & LOKEN, M.R. The skin test antigen stimulated killer (STAK) cell mediating NK like CMC is OKM1 positive and OKT3 negative, 561
 THE, T.H., see DE GRAEFF, P.A.
 TICHY, H., see BAUR, X.
 TIDMAN, N., see FAVROT, M.
 TING, A., see MOORE, M.P.
 TODA, G., IKEDA, Y., HASHIMOTO, N., YAMAZAKI, M., TORII, M. & OKA, H. Liver cell membrane antibody detected by protein A and isolated rabbit liver plasma membrane in sera of patients with chronic liver diseases, 661
 TOGE, T., TANADA, M., YAJIMA, K., KOHNO, H., ITAGAKI, E. & HATTORI, T. Induction of suppressor cell activities in normal lymphocytes by sera from gastric cancer patients, 80
 TOH, B.H., see DE AIZPURUA, H.J.
 TORII, M., see TODA, G.
 TOY, J.L. The interferons, 1
 TRAININ, N., see SCHLESINGER, M.
 TRIGG, S., see PRITCHARD, D.I.
 TSUCHIYA, M., see HIBI, T.
 TSUJI, H., see MIYAZAKI, S.
 TSURU, S., see HIBI, T.
 TSUTSUMI, Y., see NAGURA, H.
 TUNG, K.S.K., see WILLIAMS, R.C.
 TYRRELL, D.A.J., see BACON, T.H.
- UNGAR, B., see DE AIZPURUA, H.J.
- VAINIO, E., LENOIR, G.M. & FRANKLIN, R.M. Autoantibodies in three populations of Burkitt's lymphoma patients, 387
 VAN DEN AKKER, TH., GILLEN, A.P., BRIL, H., BENNER, R. & RADL, J. Increased incidence of transient homogeneous immunoglobulins in irradiated and reconstituted C57BL/KaLwRij mice treated with 2'-deoxyguanosine, 411
 VAN DE PUTTE, L.B., see HABETS, W.J.
 VAN DE RUN, I., see OHKUNI, H.
 VAN DER VEEN, C.J.P., see VAN DER WEIJ, J.P.
 VAN DER WEIJ, J.P., VAN DER VEEN, C.J.P., DE VRIES, E. & CATS, A. The use of a peroxidase-anti-peroxidase complex for the visualization of monoclonal antibodies on the ultrastructural level, 819
 VANDVIK, B., see VARTDAL, F.
- VAN EEKELLEN, C.A., see HABETS, W.J.
 VAN ES, L.A., see DAHA, M.R.
 VAN ES, L.A., see KAUFFMANN, R.H.
 VAN MUNSTER, P.J.J., see DE GRAEFF, P.A.
 VAN RENNES, H., see DE MULDER, P.H.M.
 VAN VENROOIJ, W.J., see HABETS, W.J.
 VAN ZYL SMIT, R., REES, A.J. & PETERS, D.K. Factors affecting severity of injury during nephrotoxic nephritis in rabbits, 366
 VARTDAL, F. & VANDVIK, B. Multiple sclerosis: subclasses of intrathecally synthesized IgG and measles and varicella zoster virus IgG antibodies, 641
 VENABLES, P.J.W., SMITH, P.R. & MAINI, R.N. Purification and characterization of the Sjögren's syndrome A and B antigens, 731
 VENDY, K., see RICHARDS, I.M.
 VERHAGEN, A.P., see HABETS, W.J.
 VIMADALAL, S., see TARGAN, S.
 VINCENT, C., REVILLARD, J.-P. & BATAILLE, R. Characterization of polyclonal autoantibodies specific for $\beta 2$ -microglobulin in multiple myeloma sera, 689
 VIRELLA, G., SHULER, C.W. & SHERWOOD, T. Non-complement-dependent adsorption of soluble immune complexes to human red cells, 448
 VISSER, L., see POPPEMA, S.
 VOSSEN, J.M., see DE GRAEFF, P.A.
- WADA, T., see MIYAZAKI, S.
 WAHLGREN, M., BERZINS, K., PERLMANN, P. & BJÖRKMAN, A. Characterization of the humoral immune response in *Plasmodium falciparum* malaria. I. Estimation of antibodies to *P. falciparum* or human erythrocytes by means of micro-ELISA, 127
 WAHLGREN, M., BERZINS, K., PERLMANN, P. & PERS-SON, M. Characterization of the humoral immune response in *Plasmodium falciparum* malaria. II. IgG subclass levels of anti-*P. falciparum* antibodies in different sera, 135
 WAHLGREN, M., see BERZINS, K.
 WALKER, L.C., see WILLIAMS, R.C.
 WATANABE, K., see NAGURA, H.
 WATANABE, M., see HIBI, T.
 WANG, Y., KRISTENSEN, F., JONCOURT, F., SLAUSON, D.O. & DE WECK, A.L. Analysis of H^3 -histamine interaction with lymphocytes receptor binding or uptake?, 501
 WELLS, E., see PRITCHARD, D.I.
 WELLS, E., see RICHARDS, I.M.
 WESTERMARK, P., see FALCK, H.M.
 WHALEY, K., see LAPPIN, D.
 WHALEY, K., see NAAMA, J.K.
 WILCOX, H.N.A., NEWSOM-DAVIS, J. & CALDER, L.R. Greatly increased autoantibody production in myasthenia gravis by thymocyte suspensions prepared with proteolytic enzymes, 378
 WILLIAMS, R.C., DUNCAN, M.H., TUNG, K.S.K., STINSON, E.R., WALKER, L.C. & GREAVES, M.F. Characterization of immune complexes in acute lymphoblastic leukaemia, 418
 WITKIN, S.S., SONNABEND, J., RICHARDS, J.M. & PURTILLO, D.T. Induction of antibody to asialo GM1 by spermatozoa and its occurrence in the

- sera of homosexual men with acquired immune deficiency syndrome (AIDS), 346
- WOLFE, L., HAVAS, H.F. & FENTON, M.R. An immunosuppressive lipoprotein fraction from TEPC-183 bearing mice, 801
- WOOD, J.N., *see* SNARY, D.
- YAJIMA, K., *see* TOGE, T.
- YAMAZAKI, M., *see* TODA, G.
- YOSHIDA, T., *see* HIBI, T.
- YOUNG, A., *see* HAY, F.C.
- YOUNG, P.R., *see* ANSAR AHMED, S.
- ZABRISKIE, J.B., *see* OHKUNI, H.
- ZEGERS, B.J.M., *see* DE GRAEFF, P.A.
- ZLABINGER, G.J., *see* MANNHALTER, J.W.

SUBJECT INDEX

- Acanthamoeba, 477
- ADCC
 - alcoholic liver disease, 219
 - regulation
 - immune complex-FcγR interaction, 225
 - staphylococcal enterotoxin A, 39
- Adenine nucleotide translocator, 648
- AL amyloidosis, 259
- Alcoholic liver disease, 219
- Allergoprint, 599
- Allergy, 461
- Alternative pathway
 - activation, 477
 - C3 convertase, 253
- Anaphylactic IgG, 282
- Anaphylatoxins, 455
- Antenatal diagnosis, 595
- Anti-β2m, 689
- Antibodies
 - anti-cartilage, 716
 - anti-collagen, 716
 - anti-colon, 163
 - anti-erythrocyte, 313
 - anti-lymphocyte, 277
 - anti-mitochondrial, 648
 - asialo GM1, 346
 - DNA, 359
 - liver cell membrane, 661
 - parietal cell surface, 405
 - RNA-dependent DNA polymerase, 747
 - serum, 397
 - subclasses, 641
- Anti-fungal host defences, 587
- Anti-globulins, 723
- Anti-immunoglobulins, 756
- Antigenic determinants, 599
- Antigen presentation, 95
- Acquired resistance, 143
- ARFC, 765
- Ascaris*
 - induced bronchoconstriction, 461
 - laboratory infection, 469
- Asialo GM1, 346
- Atopic eczema, 486
- Autoantibodies
 - Burkitt's lymphoma, 387
 - polyclonal, 689
 - suppressor T cell, 110
 - synthesis, 697
- Autoimmune hepatitis, 661
- Autoimmunity
 - chronic active hepatitis, 213
 - thyroiditis, 351
- Autologous human hepatocytes, 219
- Autologous mixed lymphocyte reaction, 87
- Autologous T rosettes, 765
- Autorosettes, 765

- β2m, 689
- B cells, 756
- BCG, 113
- Biliary mucosa, 671
- Blood group like substances, 625
- B lymphocytes, 771
- B lymphoma lines, 117
- Bone marrow transplantation, 59
- Bronchoconstriction, 461
- Burkitt's lymphoma, 387

- C1q, 239
- C2 synthesis, 455
- C3, 793
- C3bBb, 253
- C3 convertase, 248
- C3 nephritic factor, 253
- C4 binding protein, 248
- Cancer, 785
- Carrageenan, 567
- Cathepsin B, 397
- Cells
 - attachment, 239
 - volume, 756
- Chemotaxis
 - chemotactic factor, 785
 - monocyte, 486
- Chironomide, 599
- Chronic active hepatitis
 - IgG, 655
 - liver membrane antibodies, 213
- Chronic granulomatous disease, 595
- Chronic liver diseases, 661
- Class II (HLA-DR like) molecules, 117
- Colchicine, 73
- Colonic mucosal lymphocytes, 14
- Colonies
 - formation, 554
 - leukaemic human T cells, 103
- Complement
 - activation
 - alternative pathway, 477
 - immune adherence, 827
 - clinically healthy individual, 253
 - immune complex solubilization
 - rheumatoid arthritis, 429
 - systemic lupus erythematosus, 439
 - receptors, 785
 - systemic lupus erythematosus, 248
 - yeast opsonization, 793
- C-reactive protein, 319
- Crohn's disease, 739
- Cross-reacting ANA, 373
- Cross-reaction, 617
- CSF, 641
- Culturing, 681
- Cyclic AMP, 493
- Cyclophosphamide, 697
- Cyclosporin A
 - antibody production, 359
 - bone marrow transplantation, 59
- Cytoskeletal proteins, 387
- Cytotoxicity, 573

- Delayed type hypersensitivity, 580
- 2'-deoxyguanosine, 411
- Depression, 573
- Development, 158

- Dialysis, 277
 Diet antigens, 194
 Dinitrochlorobenzene, 778
 Discriminant analysis, 723
 DNA, 169

E. coli, 95
 Electron microscopy, 819
 ELISA
 Plasmodium falciparum malaria, I, 127
 Plasmodium falciparum malaria, II, 135
 Endothelial cells, 373
 Enzymes, 681
 Epithelial cells, 14
 Epstein-Barr virus,
 autoantibodies, 387
 natural killing, 31
 Experimental asthma, 461
 Extracellular, 185
 Extrinsic allergic alveolitis, 282

 Familial IgA nephropathy, 532
 Fc binding, 811
 Fcγ receptors, 225
 Fibronectin
 C1q-cell attachment, 239
 yeast opsonization, 793
 Fibrosis, 239
 Flares, 23
 Flow microfluorimetry, 405
 Fluorescence, 625
 Fluorescence activated cell sorting
 circulating antibodies, 163
 mouse monoclonal antibodies, 811
 Fungi, 587

 Gastric cancer, 80
 Genes, 1
 Germinal centre, 834
 Glomerular basement membrane
 autoantibody synthesis, 697
 autoantigenic components, 178
 Glomerular injury, 366
 Glomerulopathy, 359
 Graft versus host disease, 59
 Granulomata, 705
 Graves' disease, 539
 Growth hormone deficiency, 87

 Haemagglutination, 625
 Haemoglobin, 599
 Hashimoto's thyroiditis, 539
Helix pomatia haemocyanin, 778
 Helper/inducer phenotype, 298
 HEp-2, 567
 Hepatitis
 autoimmune, 661
 chronic active
 increased immunoglobulins, 655
 liver membrane antibodies, 213
 Hepatocytes, 213
 Herpes virus, 547
 Histamine, 501
 Hodgkin's disease, 681
 Homosexual men, 346

 Human leukaemic cells, 811
 Human red blood cells, 127
 Hydrocortisone, 554
 Hypersensitivity, 289

 IC-RBC interactions, 448
 IgA
 deficiency, 778
 nephropathy
 autologous rosette forming cells, 765
 immune complexes, 194
 plasma cells, 671
 IgE, 469
 IgG
 chronic active hepatitis, 655
 (Gm) allotypes, 634
 RBC interactions, 448
 subclasses
 multiple sclerosis, 641
 Plasmodium falciparum malaria, 135
 Immune abnormalities, 532
 Immune complexes
 binding
 cartilage derived extracts, 716
 complement activation, 827
 cell attachment, 239
 characterization
 acute lymphoblastic leukaemia, 418
 systemic lupus erythematosus, 169
 chronic active hepatitis, 655
 detection, 203
 FcγR interaction, 225
 IgA nephropathy, 194
 solubilization
 rheumatoid arthritis, 429
 systemic lupus erythematosus, 439
 Immunity
 E. coli infection, 305
 IgA deficiency, 778
 immunoregulation, 739
 leprosy, 289
 Immunoabsorption, 448
 Immunoblotting
 anti-erythrocyte antibodies, 313
 nuclear matrix antibodies, 265
 Immunocomplexes, 509
 Immunodepression, 580
 Immunoglobulins
 phagocytosis, 203
 synthesis, 771
 Immunohistochemistry
 IgA plasma cells, 671
 protein AA, 259
 Immunology, 185
 Immunomodulations, 1
 Immunopathology, 705
 Immunopotency tests, 143
 Immunoregulation, 739
 Immunosuppression, 277
 Immunosuppressive lipoprotein, 801
 Immunotherapy, 73
 Indirect immunofluorescence, 163
 Infections
 E. coli, 305
 juvenile chronic arthritis, 23
 leprosy, 289

- Inflammatory bowel disease, 739
 Influenza viruses, 49
 Interferon
 cytotoxicity, 39
 juvenile chronic arthritis, 23
 review, 1
 Interleukin 2, 103
 Intraepithelial lymphocytes, 158
 Ion fluxes, 756
- J chain, 671
 Juvenile arthritis, 23
- Killer cells, 49
- Larval excretions/secretions, 625
 Larval surface, 625
 LDCC, 567
 Leprosy
 review
 control, 289
 suppressor cells, 298
 suppressor cell phenotypes, 151
 Leucocyte antigens, 327
 Leukaemia
 acute lymphoblastic, 418
 chronic lymphocytic, 525
 T cell
 chronic, 515
 colonies and interleukin 2, 103
 Lipoprotein, 801
 Liver cell membrane
 autoimmune hepatitis, 661
 chronic active hepatitis, 213
 LTB₄, 486
 Lung
 bronchoconstriction, 469
 cancer, 785
 Lymphocytes
 activation, 756
 cytotoxicity, 219
 histamine interaction, 501
 leprosy, 298
 Leu 7 reactivity, 834
 mouse malaria, 110
 Lysis, 477
 Lys phenotype, 151
- Macrophages
 Blastomyces dermatidis multiplication, 587
 cathepsin B activity, 397
 subset distribution, 705
 T cell interaction, 95
 Malaria
 anti-erythrocyte antibodies, 313
 anti-lymphocyte antibodies, 110
 protective response, 609
 Malignant catarrhal fever, 547
 Marker antibody, 265
 Mast cells, 469
 Maternal—fetal sensitization, 91
 Mechanisms, 1
 Membrane phenotype, 515
 Membranoproliferative nephritis, 253
 Mice, 359
- Mitogens
 response, 580
 stimulation, 739
 Mixed connective tissue disease, 265
 MLR, 539
 Monkey, 469
 Monoclonal antibodies
 binding, 811
 class II molecules, 117
 glomerular basement membrane, 178
 human leucocytes, 327
 phenotype study, 515
 Trypanosoma cruzi, 617
 tuberculosis test, 337
 visualization, 819
 Monocytes
 complement receptor, 785
 leprosy, 298
 maturation, 681
 Mononuclear cells, 819
 Mononuclear phagocytes, 455
 Mouse rosettes, 771
 Mucosal lymphocytes, 158
 Muscular dystrophy, 327
 Multiple myeloma, 689
 Multiple sclerosis
 IgG (Gm) allotypes, 634
 IgG subclasses, 641
Mycobacterium leprae, 289
Mycobacterium lepraemurium, 151
Mycobacterium tuberculosis, 143
- Nasopharyngeal carcinoma, 387
 Natural killer cells
 human colonic mucosa, 14
 Leu 7 reactivity, 834
 pharmacological modulation, 493
 staphylococcal enterotoxin A, 39
 Natural killer like CMC, 561
 Natural killing, 31
 Nephritogenic, 185
 Nephrotoxic nephritis, 366
 Neural tissue, 617
 Neutrophil, 793
 Nuclear matrix, 265
 Nucleosomes, 373
- Oestrogen, 351
 OKM1⁺ cells, 561
 OKT4/OKT8 ratios, 525
 Opsonin, 793
 Oral immunization, 305
 Outer membrane protein, 305
 Oxygen, 580
- PAF, 486
 Parasitic nematoda, 625
 Peptide mapping, 117
 Periodic fever, 73
 Pernicious anaemia, 405
 Peyer's patches, 158
 Phagocytosis, 793
 Pharmacological modulation, 493
 PHA stimulated NBT, 595
 Plaques, 634
 Plasma exchange, 80

- Plasmodium falciparum* malaria
 antibody estimation, 127
 IgG subclass levels, 135
Plasmodium yoelii, 609
Platelet associated IgG, 655
Pneumococcus, 319
Pokeweed mitogen
 immunoglobulin synthesis, 771
 immunosuppressive factors, 277
Polyethylene glycol, 169
Polymeric IgA
 familial nephropathy, 532
 immune complexes, 194
Polymorphonuclear leucocytes, 203
Polymorphonuclear neutrophils, 587
Polymyositis, 327
Pregnancy MLR, 91
Primary amyloidosis, 259
Primary antibody response, 580
Primary biliary cirrhosis, 648
Primary immune response, 778
Progesterone, 351
Proliferative response, 87
Protein
 AA, 259
 extracellular, 185
 synthesis, 31
Proteinuria, 366
Psoriasis, 486

Rabbit liver plasma membrane, 661
Radioimmunoassay
 liver membrane antibodies, 213
 TB72 antibody evaluation, 337
RAST, 599
Rat neonates, 158
Receptors, 501
Retroviruses, 747
Reverse transcriptase, 747
Rheumatoid arthritis
 anti-globulins, 723
 cathepsin B activity, 397
 immune complexes
 binding, 716
 solubilization, 429
 T cell subsets, 509
Rheumatoid factors, 225
Ribonucleoprotein, 265
RNA synthesis, 31

Sarcoidosis, 705
Secretory component, 671
Sera-induced suppressor cells, 80
Serodiagnosis, 337
Serum, 169
Serum IgG, 655
Sjögren's syndrome, 731
Skin test antigen, 561
Soluble immune complexes, 827
Specificity, 49

Spermatzoa, 346
Spleen, 319
Spontaneous suppressor cells, 80
SS-A, 731
SS-B, 731
Staphylococcal enterotoxin A, 39
Streptococci, 185
Streptococcus pneumoniae, 319
Subclinical infection, 289
Suppression, 151
Suppressor activity, 298
Suppressor T cells, 765
Suppressor cells
 familial Mediterranean fever, 73
 induction, 110
 post-surgical depression, 573
Suppressor/cytotoxic phenotype, 298
Suppressor functions, 87
Surgery, 573
Systemic lupus erythematosus
 C3 convertase modulation, 248
 DNA polymerase antibodies, 747
 immune complexes
 characterization, 169
 solubilization, 439

T cells
 colonies, 554
 development, 59
 enrichment techniques, 525
 leukaemia, 103
 macrophage interaction, 95
 proliferation, 95
 sarcoidosis, 705
 subsets
 bone marrow transplantation, 59
 growth hormone deficiency, 87
 thyroid disorders, 539
 suppressor, 411
TEPC-183 plasmacytoma mice, 801
Therapies, 1
Thrombocytopenia, 655
Thymectomy, 351
Thymulin, 359
Thyroiditis, 351
T lymphocytes
 familial Mediterranean fever, 73
 intrafollicular, 834
 OKT8⁺ lymphocytic leukaemia, 515
 rheumatoid arthritis, 509
Trypanosoma cruzi, 617
Tuberculosis, 337

Ulcerative colitis
 circulatory antibodies, 165
 disordered immunoregulation, 739
Uptake, 501
Uraemic sera, 277

Western blot, 731